

Cardinal Professional Products P.O. Box 782 Hollister, CA 95024

1. CHEMICAL PRODUCTS AND COMPANY INFORMATION

PRODUCT NAME:CHLPRODUCT CODE:NOTSYNONYMS:CHLMANUFACTURER:CARTELEPHONE M-F, 8:00-4:30 PDTMSDS & Product Information, 8:00-4:30 PDT:

CHLOROPICRIN WARNING AGENT NOT CONSIDERED A PESTICIDE BY EPA CHLOROPICRIN, 'PIC" CARDINAL PROFESSIONAL PRODUCTS (800) 548-2223 PDT: (800) 548-2223, (831) 637-0195X3024

24 HOUR EMERGENCY PHONE	(800)-535-5053	INFOTRAC (ALL OTHER AREAS):	(800) 535-5053
(INFOTRAC) U.S. and CANADA:			

2. COMPOSITION / INFORMATION ON INGREDIENTS

COMPONENT	CAS #	% by wt	EXPOSURE LIMITS
Chloropicrin	000076-06-2	99.0 min.	Y (Hazardous) 0.1 ppm (OSHA PEL TWA) 0.1 ppm (ACGIH TLV TWA) 0.1 ppm (NIOSH REL) 4 ppm (OSHA IDHL)
PEL = Permissible Exposure Limits. TLV = Threshold Limit Value.			ghted Average (8 hr). rm Exposure Limit (15 min.).

3. HAZARDS IDENTIFICATION

Revised 3/2006

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

GENERAL INFORMATION:	READ THE LABEL COMPLETELY BEFORE USING THIS PRODUCT
	DANGER – POISON - HIGHLY TOXIC
	Highly toxic liquid and vapor. Noxious odor, may
	act as own warning agent against overexposure.
	Exposure to hazardous levels of chloropicrin
	cannot be voluntarily tolerated. May be fatal if
	inhaled. Severe damage follows liquid contract
	with eyes or skin. Airborne exposure to
	concentrations of $0.1 - 0.3$ ppm may cause



Cardinal Professional Products P.O. Box 782 Hollister, CA 95024

> immediate tearing and irritation of the eyes and irritation of the respiratory tract or contaminated body surfaces. Classified as corrosive to skin according to DOT Guidelines. Toxic to fish and aquatic organisms.

4. EMERGENCY AND FIRST AID MEASURES

FIRST AID PROCEDURES:

IN ALL CASES OF OVEREXPOSURE, GET MEDICAL ATTENTION IMMEDIATELY, TAKE PERSON TO A DOCTOR OR TO AN EMERGENCY TREATMENT FACILITY.

Signs and Symptoms of	Chloropicrin	
Overexposure	Exposure to <u>vapor</u> causes tearing and eye, nose, and throat irritation. Excessive overexposure may result in coughing, nausea, vomiting, breathing difficulties, or death. <u>Liquid</u> can cause severe burns to eyes and skin. ACUTE – Overexposure can be fatal. Irritation of respiratory tract causes congestion, hemorrhaging, severe bronchitis, and edema.	
IF INHALED:	Get exposed person to fresh air. Keep warm. Make sure person can breathe freely. If breathing has stopped, give artificial respiration. Give oxygen if needed. Do not give anything by mouth to an unconscious person. Seek medical attention.	
IF INGESTED	Harmful if swallowed. Seek medical attention. Ingestion may cause severe gastrointestinal damage and may include nausea, vomiting and abdominal pain, collapse and death.	
tear of ov vom	Chloropicrin is a volatile liquid that is the active ingredient in tear gas. As a gas it is a powerful lachrymator. Early symptoms of overexposure are lachrymation, respiratory distress, and vomiting. Pulmonary edema may develop later. Treatment is symptomatic.	

Revised 3/2006	Chloropicrin Warning Agent	Page 2 of 9



Cardinal Professional Products P.O. Box 782 Hollister, CA 95024

5. FIRE FIGHTING MEASURES

FLAMMABLE PROPERTIES

FLAMMABILITY CLASSIFICATION: Not combustible FLASH POINT: None

FLAMMABLE LIMITS IN AIR (% by volume):	There is no danger of	fire or explosion in use concentrations.
LOWER FLAMMAE UPPER FLAMMAB AUTOIGNITION TEMPERATURE SENSITIVE STATIC DISCHARGE	LE LIMIT: ::	Not applicable Not applicable Not applicable Not applicable
HAZARDOUS COMBUSTION PR	ODUCTS:	Not combustible. Heated material decomposes violently at 233°F (112°C) especially when in contact with metals. Chloropicrin decomposes into hydrogen chloride and/or chlorine, phosgene, and oxides of nitrogen.
EXTINGUISHING MEDIA: FIRE FIGHTING INSTRUCTIONS	:	All conventional media are suitable. Wear self-contained breathing apparatus and protective clothing to protect from skin and eye contact in fire situations. Work from safe, protected position. Cool cylinders with water fog. Cylinders may rupture violently and release toxic gas due to over pressure.
6. ACCIDENTAL RELEASE MEA	SURES:	
STEPS TO BE TAKEN IN CASE LEAKED OR SPILLED	MATERIAL IS	Evacuate the immediate area of the spill or leak. Use SCBA or combination air-supplied respirator for entry into the affected area to correct problem. Move leaking or damaged cylinders or containers outdoors or to an isolated location, observing strict safety precautions. Work up wind if possible. Allow spill to evaporate. Do not permit entry into

precautions. Work up wind if possible. Allow spill to evaporate. Do not permit entry into spill area by unprotected persons until the concentration of chloropicrin is determined to be less than 0.1 ppm.

Revised 3/2006



Cardinal Professional Products P.O. Box 782 Hollister, CA 95024

PERSONAL PRECAUTIONS

See Section 8

7. HANDLING AND STORAGE

GENERAL PROCEDURES: OBSERVE THE FOLLOWING PRECAUTIONS HANDLING:

- 1. Avoid any possible contact with liquid or vapor.
- 2. Do not discharge contents outside of areas confined for treatment.
- 3. Comply with all local regulations and ordinances.

STORAGE AND DISPOSAL: Store in a secure manner either outdoors under ambient conditions or indoors in a well-ventilated area. Post as a pesticide storage area. Do not contaminate water, food or feed by storage. Store cylinders upright, secured to a rack or wall to prevent tipping. Cylinders should not be subjected to rough handling or mechanical shock, such as dropping, bumping, dragging, or sliding. Do not use rope slings, hooks, tongs or similar devices to unload cylinders. Transport cylinders using hand truck, fork truck or other device to which the cylinder can be firmly secured. Replace plug tightly when cylinder is not in use and when cylinder is empty, before returning to shipper. Only the registrant is authorized to refill cylinders. Do not use cylinders for any other purpose.

RETURN CYLINDERS TO: Cardinal Professional Products 8770 Highway 25 Hollister, CA 95023 or Cardinal c/o Niklor Chemical Company 1667 Purdy Avenue Mojave, CA 93501

Or your distributor/supplier

Cylinders are the property of Cardinal Professional Products and should be returned promptly. Do not ship cylinders without plug tightly in place. When a cylinder is partially full and there is no further requirement for the product, contact the company for return instructions.



Cardinal Professional Products P.O. Box 782 Hollister, CA 95024

WORK HYGIENIC PRACTICES:

- 1. All persons working with chloropicrin should be trained in the hazards, use of required respirator equipment, emergency procedures and in the proper use of chloropicrin warning agent.
- 2. Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMITS:	Air Concentration Level The acceptable air concentration level for persons exposed to chloropicrin is 0.1 ppm. The air concentration level is measured by a direct reading detection device, such as a Kitagawa detection device using tube 172.
ENGINEERING CONTROLS:	Sufficient to reduce concentration to TLV. Local Exhaust: From point of origin of fumes. General: Provide exhaust from inside of building.
RESPIRATORY PROTECTION:	A respirator is required if the air concentration level of 0.1 ppm for chloropicrin is exceeded at any time. The respirator must be one of the following types: (a) a supplied-air respirator (MSHA/NIOSH approval number prefix TC-19C) or (b) a self- contained breathing apparatus (SCBA (MSHA/NIOSH approval number prefix TC-13F).
SKIN PROTECTION:	 Applicators and other handlers must wear: Loose-fitting or well ventilated clothing, Do not wear jewelry, gloves, tight clothing, rubber protective clothing, or rubber boots when handling. Chloropicrin is heavier than air and can be trapped inside clothing and cause skin injury. If liquid fumigant splashes or spills on clothing, shoes or socks remove them at once, as they will be an intolerable source of irritation. Keep clothing and shoes outdoors and do not reuse them until thoroughly aerated Heavily drenched clothing, shoes or socks and any absorbent materials should be discarded. Do not reuse them. Follow the PPE manufacturer's instructions for cleaning/maintaining PPE. If there are no such instructions for washables, use detergent and hot water.
Revised 3/2006	Chloropicrin Warning Agent Page 5 of 9



Cardinal Professional Products P.O. Box 782 Hollister, CA 95024

Keep and wash PPE and work clothing separately from other laundry.

6. Follow PPE manufacturer's instructions for cleaning/maintaining protective eyewear and respirators.

EYE PROTECTION:

Full-face shield when handling liquid product or safety glasses with brow and temple shields. (Do NOT wear goggles.)

9. PHYSICAL AND CHEMICAL PROPERTIES

MOLECULAR FORMULA:	CCl ₃ NO ₂
MOLECULAR WEIGHT:	164.39
WEIGHT PER GALLON:	13.76 lbs
APPEARANCE:	Clear, colorless liquid
ODOR:	Intensely irritating tear gas odor
PHYSICAL STATE:	Liquid below 112°C
VAPOR PRESSURE:	18.3 @ 68°F
VAPOR DENSITY:	5.676 (Air=1)
BOILING POINT:	233 F (112°C)
SOLUBILITY IN WATER:	0.227g/100ml @ 0°C
SPECIFIC GRAVITY:	liquid 1.651 @ 20°C

10. STABILITY AND REACTIVITY

CHEMICAL STABILITY:	Stable under normal conditions of handling and use Unstable under fire conditions. Avoid temperatures above 140°F (60°C).
INCOMPATIBILITY:	 (Specific materials to avoid) Organic amines Reducing agents and sulfuric acid Incompatible with containers or equipment made of aluminum, magnesium or their alloys.
HAZARDOUS DECOMPOSITION PRODUCTS:	Thermal decomposition may produce highly toxic phosgene, and toxic nitrogen oxide.
HAZARDOUS POLYMERIZATION:	Will not occur.



Cardinal Professional Products P.O. Box 782 Hollister, CA 95024

11. TOXICOLOGICAL INFORMATION

		Available data are inadequate to evaluate carcinogenicity.	
		Did not cause birth defects in laboratory animals. Has been toxic to the fetus in laboratory animals at doses toxic to the mother.	
		Did not interfere with reproduction in laboratory animal studies.	
MUTAGENICITY:		Has been shown to have mutagenic activity in bacteria. Animal genetic toxicity studies were inconclusive.	
12. ECOLOGICAL INFORM	ATION:		
ECOTOXICOLOGICAL INFORMATION	Highly toxic to fish on an acute basis.		
13. DISPOSAL:			
DISPOSAL CONSIDERATIONS	Pesticide wastes are toxic. Improper disposal of excess pesticide is a violation of Federal law. Unused fumigant should be returned as in section 7. If there are any questions regarding disposal, contact Cardinal.		
14. TRANSPORT INFORMATIO	ON:		
PACKING GROU FOR BULK PACI SHIPMENTS BY	NG NAME: : NUMBER (UN or NA) P: (AGES AND ALL VESSEL:	CHLOROPICRIN POISON-INHALATION HAZARD, HAZARD ZONE B, ERG #154 6.1 I: UN 1580 I CHLOROPICRIN/6.1/UN1580/PG I/MARINE POLLUTANT/POISON INHALATION HAZARD//ZONE B	
OTHER SHIPPING INFORMAT	ION Placard:	Inhalation Hazard -2 (when required)	
Revised 3/2006		Chloropicrin Warning Agent Page 7 of 9	



Cardinal Professional Products P.O. Box 782 Hollister, CA 95024

15. REGULATORY INFORMATION:

U.S. FEDERAL REGULATIONS:

TOXIC SUBSTANCES CONTROL ACT (TSCA):

Ingredients are on the TSCA inventory or are not required to be listed on the TSCA Inventory.

SARA HAZARDS: This product has been reviewed according to the EPA "Hazard Categories" promulgated under Sections 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III and is considered, under applicable definitions, to meet the following categories:

An immediate health hazard A delayed health hazard IMMEDIATE (ACUTE HEALTH HAZARD YES

> CHRONIC OR DELAYED HEALTH HAZARD YES

FIRE HAZARDNOREACTIVE
HAZARDYESSUDDEN
PRESSURE
GENERATING
HAZARDNO

OSHA HIGHLY HAZARDOUS CHEMICALS

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

STATE REGULATIONS

Chloropicrin:

- California Regulations: VOC: (not available)
- NJ2=New Jersey Environmental Hazardous Substance (present at greater than or equal to 1.0%). NJ3=New Jersey Workplace Hazardous Substance (present at greater than or equal to 1.0%.
- Massachusetts Substance List
- Pennsylvania Hazardous Substance List (1% reporting limit)



Cardinal Professional Products P.O. Box 782 Hollister, CA 95024

> This material (or each component) is listed on the following inventories: Canada – DSL EU – EINECS Australia – AICS Canadian Disclosure List (0.1%) Chloropicrin Canadian WHMIS Hazard Class and Division = D.1.a, E, F The above regulatory information represents only selected regulations and is not meant to be a complete list.

16. OTHER INFORMATION

HMIS RATINGS:

We assign HMIS ratings to this product based on the hazards of its ingredients(s). Since the customer is most aware of the applications and conditions of use, he must ensure that the proper personal protective equipment is provided consistent with information contained in Section's 7 and 8 of this MSDS.

HMIS	Health	4
RATINGS:		
	Flammability	0
	Reactivity	3

The data contained herein is based on information currently available to Cardinal Professional Products, and believed to be factual and the opinions expressed to be those of qualified experts; however, this data is not to be taken as a warranty or representation for which Cardinal Professional Products assumes legal responsibility.

Material Safety Data Sheet prepared by Cardinal Regulatory Affairs Group